

Amendment and Response
Applicant: David J. Arcaro et al.
Serial No.: 10/616,816
Filed: July 10, 2003
Docket No.: 100111670-1
Title: THERMALLY SELF-REGULATING FUSING SYSTEM

BEST AVAILABLE COPY

IN THE CLAIMS

Please amend claims 1, 4, 15, and 21 as follows:

1. (Currently Amended) A fusing system comprising:
a stationary heating assembly comprising a thermally self-regulating heating element comprising a positive temperature coefficient (PTC) ceramic; and
a pressure roller proximately positioned relative to the heating assembly ~~so that they~~ such that the pressure roller and the heating assembly form a nip area therebetween that is configured to receive sheet media;
wherein the heating assembly further comprises a fixed covering exposed to the nip area, the fixed covering being compliant ~~while and~~ having a low coefficient of sliding friction.
2. (Original) A system as recited in claim 1, wherein the heating assembly is stationary relative to both rotational and translational motion.
3. (Original) A system as recited in claim 1, wherein the heating assembly further comprises a flexible polyimide film circuit around the PTC ceramic.
4. (Currently Amended) A system as recited in claim 1, wherein the heating assembly further comprises a flexible polyimide film circuit around and in contact with the PTC ceramic, wherein the film circuit is electrically conductive on the side in contact with the PTC ceramic, but and electrically insulating on the other side.
5. (Original) A system as recited in claim 1, wherein the heating assembly further comprises an aluminum extrusion housing the PTC ceramic.
6. (Original) A system as recited in claim 1, wherein the covering comprises a compliant elastomer having a surface covered by a friction reducing coating.

Amendment and Response

Applicant: David J. Arcaro et al.

Serial No.: 10/616,816

Filed: July 10, 2003

Docket No.: 100111670-1

Title: THERMALLY SELF-REGULATING FUSING SYSTEM

7. (Original) A system as recited in claim 1, wherein the covering comprises a silicone elastomer.
8. (Original) A system as recited in claim 1, wherein the covering comprises a silicone elastomer coated with PTFE.
9. (Original) A thermal transfer overcoat (TTO) device comprising a fusing system comprising:
 - a stationary heating assembly comprising a thermally self-regulating heating element comprising positive temperature coefficient (PTC) ceramic;
 - a pressure roller proximately positioned relative to the heating assembly so that they form a nip area therebetween that is configured to receive sheet media;
 - wherein the heating assembly further comprises a covering exposed to the nip area, the covering being compliant while having a low coefficient of sliding friction.
10. (Original) A fusing system comprising a stationary heating assembly comprising a thermally self-regulating heating element.
11. (Original) A system as recited in claim 10, further comprising a pressure roller proximately positioned relative to the heating assembly so that they form a nip area therebetween that is configured to receive sheet media.
12. (Original) A system as recited in claim 10, wherein the heating assembly further comprises a compliant elastomer covering that has a low coefficient of sliding friction.
13. (Original) A system as recited in claim 10, wherein the heating assembly is stationary relative to both rotational and translational motion.
14. (Original) A system as recited in claim 10, wherein the thermally self-regulating heating element is comprised of positive temperature coefficient (PTC) ceramic.

Amendment and Response

Applicant: David J. Arcaro et al.

Serial No.: 10/616,816

Filed: July 10, 2003

Docket No.: 100111670-1

Title: THERMALLY SELF-REGULATING FUSING SYSTEM

15. (Currently Amended) A system as recited in claim ~~10~~12, wherein the covering comprises a silicone elastomer coated with PTFE.
16. (Original) A thermal transfer overcoat (TTO) device comprising a fusing system comprising a stationary heating assembly comprising a thermally self-regulating heating element.
17. (Original) A system as recited in claim 14, wherein the heating assembly further comprises a flexible polyimide film circuit around the PTC ceramic.
18. (Original) A system as recited in claim 14, wherein the heating assembly further comprises a flexible polyimide film circuit around the PTC ceramic, wherein the film circuit is electrically conductive on the side in contact with the PTC ceramic, but electrically insulating on the other side.
19. (Original) A thermal transfer overcoat (TTO) device comprising:
a fusing system comprising:
a stationary heating assembly comprising a thermally self-regulating heating element composed of positive temperature coefficient (PTC) ceramic;
a pressure roller proximately positioned relative to the heating assembly so that they form a nip area therebetween that is configured to receive sheet media;
wherein the heating assembly further comprises a compliant elastomer covering that has a low coefficient of sliding friction;
a paper feed mechanism configured to feed paper into the nip area;
a TTO film supply roller configured to supply TTO film to the nip area.
20. (Original) A TTO device as recited in claim 19, wherein the heating assembly is stationary relative to both rotational and translational motion.
21. (Currently Amended) A circuit for a thermal transfer overcoat (TTO) device comprising:

Amendment and Response

Applicant: David J. Arcaro et al.

Serial No.: 10/616,816

Filed: July 10, 2003

Docket No.: 100111670-1

Title: THERMALLY SELF-REGULATING FUSING SYSTEM

an AC power supply;

a paper sensor switch configured to close and complete a circuit with the AC power supply when it senses paper in the TTO device, wherein the completion of the circuit supplies AC power to a fuser system that is configured to heat when power is supplied;

a temperature sensor switch in proximity to the fuser system configured to close when the fuser system has reached a defined operating temperature;

a motor configured to receive AC power when both sensor switches are closed and to pull paper through the fuser system.

~~You might want to consider adding a means plus function claim set and a method claim set.~~

This Page is Inserted by IIFW Indexing and Scanning
Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IIFW Image Problem Mailbox.